	Type	L#	Hits	Search Text	DBs	Time Stamp
1	BRS	L1		detector OR sensor OR (image ADJ pickup)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 09:58
2	BRS	L2	68586	refresh\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 09:59
3	BRS	L3	13380	1 AND 2	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:04
4	BRS	L4	507560	reset\$4	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:04

	Type	L#	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	5911	3 AND 4	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:04
6	BRS	L6		switch\$3 OR (thin ADJ film ADJ transistor) OR TFT	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:27
7	BRS	L7	4948	5 AND 6	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:06
8	BRS	L8	1122026	amplif\$4 OR amplification	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:07

	Type	L#	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	2764	7 AND 8	US- PGPUB; USPAT; USOCR; EPO; IPO; DERWE NT; IBM_TD B	2005/08/22 10:35
10	BRS	L10	223947	"378"/\$.ccls. OR "250"/\$.ccls. OR "348"/\$.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:08
11	BRS .	L11	428	9 AND 10	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:08
12	BRS	L12	58265	amorphous ADJ silicon	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:23

	Type	L#	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	60		US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:23
14	BRS	L14		(switch\$3 OR (thin ADJ film ADJ transistor) OR TFT) WITH substrate	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:27
15	BRS	L15	56	11 AND 14	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:27
16	BRS	L16	53	9 AND 12 AND 14	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	2005/08/22 10:36